

**From:** Richard Fetzer/R3/USEPA/US  
**Sent:** 7/10/2012 2:09:18 PM

**To:** "heston.gerald@epa.gov" <heston.gerald@epa.gov>; "carney.dennis@epa.gov" <carney.dennis@epa.gov>  
**CC:**  
**Subject:** Fw: Dimock Water Funding

Just FYI. We can't afford too much time to tick off from HQ or we will need more money....again. Maybe this will help Shawn keep the pressure on HQ.  
I have agreed to demobe the security ERRS person and have enough \$\$ to keep the two remaining ERRs left. I do have a small contingency.

Rich  
Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

----- Forwarded by Richard Fetzer/R3/USEPA/US on 07/10/2012 02:07 PM -----

**From:** "David Bofinger" <dbofinger@kemron.com>  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**Cc:** Kelley Chase/R3/USEPA/US@EPA, "James Adams" <jadams@kemron.com>, Joanna McDonald/R3/USEPA/US@EPA  
**Date:** 07/10/2012 12:10 PM  
**Subject:** RE: Dimock Water Funding

Rich,

## Ex. 4 - CBI

Ex. 4 - CBI

## Ex. 4 - CBI

- 1- The files could be locked up inside the Kemron trailer inside the building and provide you with a key for access to it.
- 2- The files could be locked up in the waterproof tool box on Ex. 5 - Deliberative truck
- 3- The files could be taken to the hotel and stored in our rooms

## Ex. 4 - CBI

Please let me know if you agree with any of these suggestions.

Thanks

Dave Bofinger  
Response Manager  
Kemron Environmental Services Inc  
1359-A Ellsworth Industrial Blvd  
Atlanta, GA 30318  
e mail- [dbofinger@Kemron.com](mailto:dbofinger@Kemron.com)  
Cell phone- 404 725 3257  
Phone-404 636 0928 Fax 404 636 7162  
Visit us at [www.kemron.com](http://www.kemron.com)

**From:** Richard Fetzer [<mailto:Fetzer.Richard@epamail.epa.gov>]  
**Sent:** Thursday, July 05, 2012 2:33 PM  
**To:** David Bofinger  
**Cc:** Kelley Chase; James Adams; [mcdonald.joanna@epa.gov](mailto:mcdonald.joanna@epa.gov)  
**Subject:** Re: Dimock Water Funding

thanks Dave. I just took a look at the dates for our schedule, based upon this week's events. Although nothing has been decided, it looks like we will be notifying the residents on 7/23 and then giving them 10 business days to let us know how they want us to leave their systems. That puts us to the week of 8/6. Ex. 4 - CBI

Let me know if that causes a problem.

Rich

Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

From: "David Bofinger" <[dbofinger@kemron.com](mailto:dbofinger@kemron.com)>  
To: Richard Fetzer/R3/USEPA/US@EPA  
Cc: Kelley Chase/R3/USEPA/US@EPA, <[padams@kemron.com](mailto:padams@kemron.com)>  
Date: 07/05/2012 02:14 PM  
Subject: Dimock Water Funding

Rich,

I requested for Ex. 4 - CBI to do projections for the site with our current funding. Ex. 4 - CBI

Ex. 4 - CBI I know that currently you plan to be completed by that date, however if things change this gives you a date with current operations that could be funded with the current ceiling.

Dave Bofinger  
Response Manager  
Kemron Environmental Services Inc  
1359-A Ellsworth Industrial Blvd  
Atlanta, GA 30318  
e mail- [dbofinger@Kemron.com](mailto:dbofinger@Kemron.com)  
Cell phone- 404 725 3257  
Phone-404 636 0928 Fax 404 636 7162  
Visit us at [www.kemron.com](http://www.kemron.com)

## Know Safety, No Accidents



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to [postmaster@kemron.com](mailto:postmaster@kemron.com). Thank you.

## Know Safety, No Accidents



Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to

postmaster@kemron.com. Thank you.

---